



- VALUES SHOWN ARE NOMINAL AND NOT TO BE USED FOR INSTALLATION PURPOSES.
- DRAWINGS ARE NOT TO SCALE.
- CHECK WITH LOCAL BUILDING CODES AND OBTAIN ALL NECESSARY BUILDING PERMITS.
- THESE ARE BASIC AND GENERAL SPECIFICATIONS AND DO NOT COVER ALL POSSIBLE INSTALLATION SCENARIOS.

FORTE FLAT PANEL SPECIFICATIONS		
SPECIFICATION	TOLERANCE	SPECIFICATION
HORIZONTAL WIRE DIAMETER	0.144"/3.65mm.	±0.0019"/±0.05mm.
VERTICAL WIRE DIAMETER	0.144"/3.65mm.	±0.0019"/±0.05mm.
TENSILE STRENGTH	80 ksi	ASTM A-510
ZINC COATING	0.32 oz./ft ²	ASTM A-641
POWDER COATING THICKNESS [TOC FREE/VOC FREE]	100 MICRONS	ASTM D-7091

DMF POST SPECIFICATIONS		
DIMENSION	SPECIFICATIONS	NOTES
POST SIZE	3"x3"	ASTM A513
POST GAUGE	11	
TENSILE STRENGTH	44945 lbs/in ²	ASTM A-500
POST ZINC COATING	0.9oz/ft ²	ASTM A-653 TABLE 1 (G90=2275)
YIELD STRENGTH	32997 lbs/in ²	ASTM A-500
POST CAP	PLASTIC INJECTION FOR 3"x3" POST	POLYPROPYLENE
HARDWARE CLAMPS	UNIVERSAL CLAMP	
POWDER COATING THICKNESS	100 MICRONS	TOIC FREE/VOC FREE ASTM D-7091



SECTION 1 - "UNIVERSAL CLAMP"




DETAIL 1

DRAWINGS BY:
DESIGN MASTER FENCE SYSTEMS, INC.
202 S. RENO ST.
TAMPA, FL 33605
PH: 813-247-3935
FAX: 813-247-4305

DATE: OCTOBER, 2018

DMF – FORTE FLAT PANEL 79"
ELEVATIONS/SECTIONS

PROJECT NAME:	GENERAL SPECS
CUSTOMER:	DESIGN MASTER FENCE



Designmaster™
FENCING SYSTEM