



03	STEEL FENCE SOLUTIONS	10	FORTE
04	SYSTEM BASICS	12	FLORENCE
05	APPLICATIONS	14	MILAN
06	CLASSIC	16	CROWD CONTROL
08	CONTEMPO	18	INSTALLATIONS

STEEL Fence Solutions

Designmaster is changing the way America fences, with steel-strong industrial, commercial and residential fence and gate solutions for virtually every need, from maximum security to ornamental projects. Our incomparable quality, product diversity, maintenance-free finishes and competitive pricing give you every reason to choose Designmaster. Our customer-centric attention to detail and a 25-year limited warranty ensure your satisfaction and peace of mind.





LEED CERTIFIED

We are an active member of the US Green Building Council, the LEED certification regulatory entity for environmentally sustainable building projects.

LEED certification promotes the use of recycled and recyclable goods such as Designmaster Fence, which is manufactured from recycled steel and is a recyclable product, thanks to our advanced technologies and practices.

Designmaster Fence automatically qualifies for LEED credits. Documentation is available upon request.

MIAMI DADE CERTIFIED

The strength and durability of Steel merge with style and elegance to produce a fencing system that is Miami-Dade certified with the highest rating of any Welded Steel Wire Fencing System, High Velocity Hurricane Zone (HVHZ).

Miami-Dade County, Florida, Notice Of Acceptance, file number 15-0903.07, EXP 03/30/2022. Miami-Dade certification is recognized worldwide as the standard for products that can withstand the most severe weather and wind loads.

NON-TOXIC POWDER COATING

The finish on all Designmaster Fence components is 100% free of Volatile Organic Compounds and Triglycidyl Isocyanurate, (both of which are known carcinogens). This makes Designmaster Fence the best choice for public areas, schools, daycare centers, zoos, parks, stadiums and anyplace else where people or animals may contact the fence.











System Basics



Designmaster Fence is an advanced fencing system that combines beauty, functionality, safety, durability and strength.

CHARACTERISTICS

The Designmaster Fence system includes panels, posts, gates and all other accessories including hardware and fixtures. Metal components are galvanized, treated with phosphate, and powder coated, providing maximum protection against corrosion.

STANDARDS

Complies with ASTM-510 and passes the Accelerated UV Weather Test G154-04 and Corrosion resistance of 1,000 hours of exposure. Fabricated in accordance with NF-EN. 10016-2 steel standards.

NON-TOXIC POWDER COATING

This makes Designmaster Fence the best choice for public areas, schools, daycare centers, zoos, parks, stadiums and anyplace else where people or animals may contact the fence.

ADVANTAGES

- Aesthetically pleasing and blends in the surroundings.
- Durability, functionality and ease of installation.
- Much more secure than chain link or aluminum.
- 25 Year Warranty on all products and components.
- Miami-Dade certified and qualifies for LEED credits.
- The look of wrought iron without the cost or maintenance.
- Great for Schools, Public Works, Business and Residential.
- Eco-Friendly; recycled and recyclable; 100% Non-Toxic finish.
- A complete fencing package.

Phosphate Zinc Steel Powder Coating (100% Non-Toxic)

Applications

The chart below will help determine which Designmaster Fence system is best for your project:

APPLICATION	CLASSIC	MILAN	FLORENCE	CONTEMPO	FORTE
Amusement Parks	•••	• • •	• •	••	•
Shopping Plazas	• • •	• •	•	• • •	•
Corporate Offices	• •	• • •	• • •	• •	•
Governmental Offices	• •	•	• •	• • •	• • •
Hotels	• •	• • •	• • •	• •	•
Industrial Areas	• • •	•	•	• • •	• •
Military Zones	• •	•	•	• • •	• • •
Parking Lots	• • •	• •	•	• • •	• •
Parks	• • •	• •	• • •	•	•
Playgrounds	• •	• • •	• •	• • •	•
Pools	• • •	• •	•	•••	•
Prisions	•	•	•	• • •	• • •
Residential Areas	• •	• • •	• • •	•	•
Commercial Spaces	• • •	• •	•	• • •	•
Schools and Universities	• • •	• •	• •	• • •	•
Sports Complexes	• • •	•	•	• • •	• •
Vineyards	• • •	• • •	• •	•	•
Storage and Distribution Centers	• •	•	•	• • •	• • •
Zoos	• •	• •	•	•••	• • •



• • Recommended application

Acceptable application











CLAS


Clearly built for timeless beauty & strength.



CLEAR see-through design

TIMELESS classic beauty

STRENGTH for mid-level security







SECURITY SOLUTIONS

Public Works / Public Spaces Businesses & Corporations Schools & Universities **Amusement Parks** Daycare Centers Sports Complexes Botanical Gardens & Zoos Parks, Playgrounds & Pools Places of Worship **Apartment Complexes** Hotels & Resorts Transportation Communities Residential Property Warehouses Distribution Facilities

PANEL

Height	Length	Opening	Steel Bracket	Gauge	Wire Breaking Load	Weld-Shear Strength
in	in	in	#	cal.	psi	lbs
25 3/8	95 1/8	2 x 6	2	6	80,000 - 100,000	1,051
49 1/6	95 1/8	2 x 6	2	6	80,000 - 100,000	1,051
62	95 1/8	2 x 6	3	6	80,000 - 100,000	1,051
73 1/4	95 1/8	2 x 6	4	6	80,000 - 100,000	1,051
98 1/6	95 1/8	2 x 6	5	6	80,000 - 100,000	1,051

Posts are available in multiple sizes and lengths.

Available with an angled extension.

Please consult one of our Distributors for additional details.

INSTALLATION COMPONENTS







for panels over 5' H)



Base Mount (Not recommended

45° Angled Extension




COLORS RALCODES







COMPOSITION



25-year limited warranty on all components | Meets ASTM-510





Yellow*

1028

5003

Red* White* 3002 9010

*MTO Colors. Certain conditions may apply.





CONT

Clearly & simply built strong.



CLEAR see-through security

SIMPLE contemporary design

BUILT STRONG for

high-security applications



When security matters, there's Contempo, designed to meet the toughest security challenges.

Difficult to climb or penetrate, made to last and competitively priced, Contempo's 4-gauge vertical wires are sandwiched between two 1-gauge horizontal wires, making this fence an exceptional solution for even the highest levels of security, including multi-level and sloped installations.







SECURITY SOLUTIONS

Military Bases Federal & State Buildings Municipal Buildings Transportation Correctional Facilities Schools & Universities Daycare Centers Places of Worship Hotels & Resorts **Apartment Complexes Amusement Parks** Sports Complexes Parks, Playgrounds & Pools **Public Works** Warehouses Distribution Facilities Businesses & Corporations Communities

PANEL

Design	Height	Length	Opening
	in	in	in
	48 7/16	98 7/16	2 x 8
Use D.	72 1/16	98 7/16	2 x 8
Heavy Duty	95 5/8	98 7/16	2 x 8
	120 1/16	98 11/16	2 x 8

VERTICAL WIRE

Design	Breaking Load	Gauge	
	psi cal. m		mm
Heavy Duty	75K - 105K	4	6

Posts are available in multiple sizes and lengths. Available with an angled extension.

Please consult one of our Distributors for additional details.

INSTALLATION COMPONENTS



Standard

Bracket



Universal

Bracket





DOUBLE HORIZONTAL WIRE

Breaking Load

75K - 105K

1 8

45° Angled Extension

COLORS RALCODES

Yellow*

1028



5003



7006

Red*

3002

Grey


7037



9010

COMPOSITION

Heavy Duty



25-year limited warranty on all components | Meets ASTM-510

*MTO Colors. Certain conditions may apply.







Clearly tough & secure.



highest levels of protection

Go ahead. Compare Forte with other high-security fencing. You'll find **Forte delivers on every point.**

When you need it strong, virtually impenetrable, made to last and competitively priced, choose Forte's **steel flat or** v-braced panels, with optional cross bars and reinforcing brackets for maximum security, including multi-level and slope installations.







SECURITY SOLUTIONS

Critical Infrastructure Chemical & Industrial Plants Military Bases Federal & State Buildings Municipal Buildings Places of Worship

Transportation Correctional Facilities

Embassies

Storage Facilities Warehouses

Distribution Facilities



Design	Height	Length	Gauge	Post Height
	in	in	cal.	in
With V-Brace	76 3/4	99 3/16	9	106 5/16
With v-brace	96 7/8	99 3/16	9	in
	78 3/4	99 1/16	9	106 5/6
	99 1/16	99 1/16	9	126
Flat	118 3/8	99 1/16	9	146
	141 3/4	99 1/16	9	170

Wire Breaking Load	Oper	ning
psi	in	ст
70,000 – 90,000	1/2 X 3	7.62 x 1.27

Note: Forte Flat Panels are extremely strong, anti-climb and anti-cut. However, due to the nature of the Forte Flat Panel and the fact they do not have any built-in lateral support to prevent the Panel from bowing or flexing, it is recommended to install horizontal cross bars between the vertical posts of each panel. Two cross bars per panel are the minimum required, however three cross bars are recommended (top, middle, bottom). The panel should be secured to the crossbars using a minimum of three equally spaced Universal Brackets and self-taping screws. Please see your Distributor for additional details.

INSTALLATION COMPONENTS



Universal Bracket

Blue*

5003








45° Angled Extension

COLORS RALCODES



Red*


3002

White*

9010

Yellow*

1028



25-year limited warranty on all components | Meets ASTM-510

*MTO Colors. Certain conditions may apply.





to penetrate or climb



FLOR

Clearly designed for elegant perimeters



CLEAR see-through design

ELEGANT lines no pinch-points

PERIMETERS that make a statement



Difficult to climb, made to last and competitively priced, Florence sets the **standard for beautiful**, **secure fencing** solutions.







SECURITY SOLUTIONS

Amusement Parks Botanical Gardens & Zoos Parks & Playgrounds Schools & Universities **Public Spaces** Hotels & Resorts Businesses & Corporations **Apartment Complexes** Communities Residential Property

PANEL

Height	Length	Gauge	
in	in	cal.	mm
31 1/8	96	4	6
47 1/4	96	4	6

Wire Breaking Load	Wire Tension Strength
psi	lbs (min)
55,000 – 70,000	2500

Posts are available in multiple sizes and lengths.

Please consult one of our Distributors for additional details.

INSTALLATION COMPONENTS



Round Lock Clamp



Single Clamp






Extrunded **Aluminum Posts**



Base Mount

COLORS RALCODES





25-year limited warranty on all components | Meets ASTM-510

*MTO Colors. Certain conditions may apply.







MIL

Clearly a beautiful perimeter solution



CLEAR see-through design

BEAUTIFUL & SLEEK no pinch-points

PERIMETER-PERFECT aesthetics & security



Almost impossible to climb, made to last and competitively priced, Milan is **the perfectly beautiful choice for medium-security projects.**







SECURITY SOLUTIONS

Amusement Parks
Botanical Gardens & Zoos
Parks & Playgrounds
Schools & Universities
Parking Garages
Public Spaces
Hotels & Resorts
Businesses & Corporations
Apartment Complexes
Residential Property

PANEL

Height	Length	Gar	uge
in	in	cal.	mm
62 5/8	87 3/8	4	6
82	87 3/8	4	6

Wire Breaking Load	Wire Tension Strength
psi	lbs (min)
55,000 – 70,000	2500

Posts are available in multiple sizes and lengths.

Please consult one of our Distributors for additional details.

INSTALLATION COMPONENTS




Round Lock Clamp

Blue*

5003



Square Lock Clamp





Extrunded Aluminum Posts

COLORS RALCODES



Red*


3002

White*

9010

Yellow*

1028



25-year limited warranty on all components | Meets ASTM-510

*MTO Colors. Certain conditions may apply.





14

CROVE CONT

Clearly a simple, effective barrier



CLEAR, see-through design

SIMPLE, modular assembly

EFFECTIVE SECURITY with exceptional stability



Our crowd-control panels are easy to transport, simple to assemble and are designed to stay in place, regardless of the surface. Plus, the interlocking, tubular steel frames and panels nest well for compact storage.






SECURITY SOLUTIONS

Concerts
Parades
Events
Construction Sites

SPECIFICATIONS

Height	Length	Opening	Weight	Gauge	
in	in	in	lbs	cal.	mm
48	79	2 x 8	35	6	4.89

Horizontal Lines	Vertical Lines	Pipe Diameter
per panel	per panel	in
6	37	1.5




25-year limited warranty on all components | Meets ASTM-510

COLORS RALCODES



^{*}MTO Colors. Certain conditions may apply.













Installations









VISIT OUR SOCIAL MEDIA CHANNELS **f (a) (in) (b)**







designmasterfence.com



